

03500.017986



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

YOSHIKATSU ICHIMURA, ET AL.

Appl. No.: 10/550,450

Int'l Filing Date: March 26, 2004

371(c) Date: September 26, 2005

For: ELECTRIC POTENTIAL MEASURING  
DEVICE AND IMAGE FORMING  
APPARATUS

U.S. Patent No.: 7,265,554 B2

Issued: September 4, 2007

Examiner: J. Zhu

Group Art Unit: 2858

April 1, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF  
CORRECTION UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.


Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

RECEIVED-USPTO  
Patent Publication

APR 04 2008

Patentees' undersigned attorney may be reached in our Costa Mesa,  
California office by telephone at (714) 540-8700. All correspondence should continue to  
be directed to our address given below.

Respectfully submitted,



---

Damond E. Vadnais  
Attorney for Patentees  
Registration No.: 52,310

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

FCHS\_WS 1942999v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Foreign Patent Documents, "2-07116" should read -- 2-071166 --; and  
(57) Abstract, Line 4, "another dielectric" should read -- a dielectric --.

COLUMN 2:

Line 25, "as" should be deleted.

COLUMN 3:

Line 26, "comprises:" should read -- comprising: --.

COLUMN 4:

Line 28, "layer." should read -- layer --; and  
Line 31, "electrode" should read -- electrodes --.

COLUMN 6:

Line 54, "hereinafter" should read -- hereinafter --.

COLUMN 7:

Line 30, "slid" should read -- solid --; and  
Line 62, "reaches" should read -- reach --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies  
@ 30¢ per page - USPTO  
Publication

APR 04 2008

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 56, "an electromagnetic" should read -- and an electromagnetic --.

COLUMN 11:

Line 9, "measured to be measured." should read -- measured. --; and

Line 61, "rage" should read -- range --.

COLUMN 12:

Line 55, "1814" should be bolded.

Staple  
Here  
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies  
@ 30¢ per page

APR 04 2008

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Foreign Patent Documents, "2-07116" should read -- 2-071166 --; and  
(57) Abstract, Line 4, "another dielectric" should read -- a dielectric --.

COLUMN 2:

Line 25, "as" should be deleted.

COLUMN 3:

Line 26, "comprises:" should read -- comprising: --.

COLUMN 4:

Line 28, "layer." should read -- layer --; and  
Line 31, "electrode" should read -- electrodes --.

COLUMN 6:

Line 54, "hereinafter" should read -- hereinafter --.

COLUMN 7:

Line 30, "slid" should read -- solid --; and  
Line 62, "reaches" should read -- reach --.

Staple  
Here  
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

RECEIVED  
No. of add'l. copies  
@ 30¢ per page

APR 04 2008



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. :7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 56, "an electromagnetic" should read -- and an electromagnetic --.

COLUMN 11:

Line 9, "measured to be measured." should read -- measured. --; and  
Line 61, "rage" should read -- range --.

COLUMN 12:

Line 55, "1814" should be bolded.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies  
@ 30¢ per page

APR 04 2008  
→